AMENDMENT UNDER 37 C.F.R. § 1.116 Attorney Docket No.: Q92273

Application No.: 10/562,947

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the

application:

LISTING OF CLAIMS:

1. (currently amended): A rubber composition comprising as a rubber component (A) a

synthetic polyisoprene rubber having a cis-1,4-bond content of not less than 99.0%, a 3,4-bond

content of not more than 0.5% and a Mooney viscosity $ML_{1+4}\ (100^{\circ}\text{C})$ of 20-110 and (B) a

natural rubber, wherein a ratio by mass of (A) the synthetic polyisoprene rubber to a total of (A)

the synthetic polyisoprene rubber and (B) the natural rubber is 5-60 mass % and a total content

of (A) the synthetic polyisoprene rubber and (B) the natural rubber in the rubber component is

not less than 80 mass %.

2. - 4. (canceled).

5. (original) A rubber composition according to claim 1, comprising not less than 10

parts by mass of a reinforcing filler based on 100 parts by mass of the rubber component.

6. (original) A rubber composition according to claim 5, comprising not less than 30

parts by mass of a reinforcing filler based on 100 parts by mass of the rubber component.

7. - 9. (canceled).

2

AMENDMENT UNDER 37 C.F.R. § 1.116 Attorney Docket No.: Q92273

Application No.: 10/562,947

10. (original) A rubber composition according to claim 1, which is used for a tread of a tire.

- (original) A rubber composition according to claim 1, which is used for a casing member of a tire.
- 12. (previously presented): A tire, characterized in that a rubber composition as claimed in claim 1 is applied to a tread or a casing member.
- 13. (previously presented): A rubber composition according to claim 1, wherein the synthetic polyisoprene rubber has a cis-1,4-bond content of not less than 99.6% and a 3,4-bond content of not more than 0.4%.
- 14. (previously presented): A rubber composition according to claim 1, wherein the synthetic polyisoprene rubber has a cis-1,4-bond content of not less than 99.9% and a 3,4-bond content of not more than 0.1%.